

L Number	Hits	Search Text	DB	Time stamp
-	9179	(decryp\$3 or descramble\$1)with key\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 19:58
-	1163	(receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) with (decryp\$3 or descramble\$1)with key\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 19:59
-	1368	((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:17
-	1	((((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and huynh.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:04
-	172	CAM and huynh.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:05
-	2	'conditional access module' and huynh.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:16
-	14	("4558464" "4599647" "5282249" "5343240" "5655140" "5666170" "5870474" "5920572" "6021197" "6040851" "6088366" "6205582" "6223285" "6385317").PN.	USPAT	2003/11/10 20:09
-	0	6591419.URPN.	USPAT	2003/11/10 20:16
-	103	((((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:27
-	14	((((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and 725/25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:17
-	89	(((((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and 725/\$.ccls.) not (((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and 725/25.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 20:28
-	72	(((((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and 725/\$.ccls.) not (((receiver or decoder or ('set top' near2 (box or terminal or unit)) or STB or STT) same (decryp\$3 or descramble\$1)) with key\$1) and 725/25.ccls.) and (@ad<=20010227 or @rlad<=20010227)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 10:54
-	5.	725/46.ccls. and Mom and.Dad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:38

-	11	725/\$.ccls. and Mom and Dad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:48
-	99	725/\$.ccls. and violat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:48
-	15	725/\$.ccls. and violat\$3 and (program near2 guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:49
-	99	725/\$.ccls. and violat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:51
-	0	Mom and Dad and violat\$3 and (program near2 guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:51
-	12959	key adj word\$1) (program near2 guide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:51
-	18	(key adj word\$1) with (program near2 guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:52
-	27	(key adj word\$1) same (program near2 guide)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:52
-	260	725/46.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:53
-	57	725/46.ccls. and (key\$word\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:54
-	18	(program near2 guide) and violation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:55
-	55	((program near2 guide) or epq or ipg) and violation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/10 20:55
-	5927	(private near2 key\$1) same (public near2 key\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:52
-	5484	(private near2 key\$1) with (public near2 key\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:52

-	55	((private near2 key\$1) with (public near2 key\$1)) same (encrypt\$3 or scramble\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 10:53
-	45	((private near2 key\$1) with (public near2 key\$1)) same (encrypt\$3 or scramble\$1)) and (@ad<=20010227 or @rlad<=20010227)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 12:48
-	631	725/27-31.ccls. and (@ad<=20010227 or @rlad<=20010227)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 13:18
-	71	725/27-31.ccls. and (@ad<=20010227 or @rlad<=20010227)and (edit\$3 or rewrit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 14:37
-	1	725/27-31.ccls. and (@ad<=20010227 or @rlad<=20010227)and ((edit\$3 or rewrit\$5) same ((master or parent or author)near2 (ID or PIN or ID\$1 or mode)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:02
-	122	((edit\$3 or rewrit\$5) same ((master or parent or author)near2 (ID or PIN or ID\$1 or mode)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 14:40
-	7	725/\$.ccls. and (@ad<=20010227 or @rlad<=20010227) and (((edit\$3 or rewrit\$5) same ((master or parent or author)near2 (ID or PIN or ID\$1 or mode))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 14:47
-	1398	725/\$.ccls. and (@ad<=20010227 or @rlad<=20010227) and (identif\$5 with (user\$1 or accessor\$1 or request\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 14:53
-	459	725/\$.ccls. and (@ad<=20010227 or @rlad<=20010227) and (identif\$5 with (user\$1 or accessor\$1 or request\$3) with (ID or identifier or PIN or password))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 14:55
-	0	725/\$.ccls. and (@ad<=20010227 or @rlad<=20010227) and (identif\$5 with (user\$1 or accessor\$1 or request\$3) with ((author or master or primary) near2 (ID or identifier or PIN or password)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 14:57
-	573	(@ad<=20010227 or @rlad<=20010227) and (identif\$5 near10 ((author or master or primary) near2 (ID or identifier or PIN or password)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:04
-	10	((@ad<=20010227 or @rlad<=20010227) and (identif\$5 near10 ((author or master or primary) near2 (ID or identifier or PIN or password)))) and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 15:09
-	0	08738343.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 15:08
-	2	6163272.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:03

-	66	725/30.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:03
-	50	(@ad<=20010227 or @rlad<=20010227) and 725/30.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:14
-	37	(@ad<=20010227 or @rlad<=20010227) and 725/30.ccls. and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/13 16:14
-	8	725/46.ccls. and Mom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:44
-	0	nickam.in. and DAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:44
-	0	nickam.in. and father	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:46
-	0	nickum.in. and father	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:47
-	1	nick\$3.in. and father	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:46
-	2	(father near2 ID) same (mother near2 ID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:48
-	1	blahut.in. and ID	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:48
-	1	blahut.in. and child	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:57
-	11	("4626847" "4703359" "4718107" "4825200" "4866434" "4912463" "4930158" "4931790" "5033085" "5065235" "5187469").PN.	USPAT	2003/12/08 15:49
-	2	5663756.URPN.	USPAT	2003/12/08 15:49
-	12	("4081754" "4228543" "4510623" "4718107" "5046093" "5168372" "5382983" "5465113" "5477262" "5485518" "5550575" "5663756").PN.	USPAT	2003/12/08 15:52
-	5128	(access\$3 near2 (restrict\$3 or control\$3)) same (edit\$3 or authoriz\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 15:59

-	850	(access\$3 near2 (restrict\$3 or control\$3)) same (edit\$3 or authoriz\$4) same (ID\$1 or identifi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:00
-	170	(access\$3 near2 (restrict\$3 or control\$3)) same (edit\$3 or authoriz\$4) same (ID\$1 or identifi\$5) same (compar\$5 or match\$4 or identical\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	101	(access\$3 near2 (restrict\$3 or control\$3)) same (edit\$3 or authoriz\$4) same (ID\$1 or identifi\$5) same (compar\$5 or match\$4 or identical\$3) same (memor\$3 or stor\$4 or buffer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	84	((access\$3 near2 (restrict\$3 or control\$3)) same (edit\$3 or authoriz\$4) same (ID\$1 or identifi\$5) same (compar\$5 or match\$4 or identical\$3) same (memor\$3 or stor\$4 or buffer\$3)) and (@ad<=20010227 or @rlad<=20010227)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:25
-	43	((access near2 right\$1) same (author\$4 or parent)) same (rewrit\$3 or edit\$3) and (@ad<=20010227 or @rlad<=20010227)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:29
-	31	((access near2 right\$1) same (author\$4 or parent)) same (rewrit\$3 or edit\$3) and (@ad<=19990916 or @rlad<=19990916)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	0	klosterman.in. and (parental near2 control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:56
-	19	klosterman.in. and (profile\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:57
-	59	(access near2 (restrict\$3 or limit\$3 or right\$1)) same (parental near2 control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	29	((access near2 (restrict\$3 or limit\$3 or right\$1)) same (parental near2 control)) and (@ad<=19990916 or @rlad<=19990916)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:55
-	2	5382983.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:55